

PERFORATION OPEN AREA

1.1

KEY-ENDURA & KEY-KOMPRESS

KP TYPE 1		HOLE SPACING (S)					
		12.5	15	20	25	30	50
HOLE SIZE (D)	5mm DIA	22.3%	15.1%	8.7%	5.6%	3.8%	1.4%
	7mm DIA		29.5%	17.7%	11.0%	7.5%	2.8%
	9mm DIA			28.3%	18.2%	12.3%	4.6%
	13mm DIA				37.9%	25.7%	9.6%

KP TYPE 2		HOLE SPACING (S)					
		12.5	15	20	25	30	50
HOLE SIZE (D)	5mm DIA	11.2%	7.6%	4.3%	2.8%	1.9%	0.7%
	7mm DIA		14.9%	8.4%	5.6%	3.8%	1.4%
	9mm DIA			13.9%	9.2%	6.3%	2.4%
	13mm DIA				19.2%	13.0%	4.9%

KP TYPE 3		HOLE SPACING (S)					
		12.5	15	20	25	30	50
HOLE SIZE (D)	5mm DIA	11.2%	7.6%	4.4%	2.9%	1.9%	0.7%
	7mm DIA		14.9%	8.7%	5.6%	3.8%	1.4%
	9mm DIA			14.3%	9.2%	6.3%	2.4%
	13mm DIA				19.3%	13.1%	5.0%

PERFORATION OPEN AREA

1.2

KEY-ENDURA & KEY-KOMPRESS

KP TYPE 4		HOLE SPACING (S)					
		12.5	15	20	25	30	50
HOLE SIZE (D)	5mm DIA	5.7%	3.9%	2.3%	1.5%	1.0%	0.4%
	7mm DIA		7.6%	4.4%	2.9%	2.0%	0.8%
	9mm DIA			7.3%	4.7%	3.2%	1.2%
	13mm DIA				9.9%	6.7%	2.6%

KP TYPE 5		HOLE SPACING (S)					
		12.5	15	20	25	30	50
HOLE SIZE (D)	5mm DIA	11.2%	7.6%	4.3%	2.8%	1.9%	0.7%
	7mm DIA		14.8%	8.4%	5.5%	3.8%	1.4%
	9mm DIA			13.8%	9.1%	6.2%	2.3%
	13mm DIA				19.1%	13.0%	4.9%

KP TYPE 6		HOLE SPACING (S)					
		12.5	15	20	25	30	50
HOLE SIZE (D)	5mm DIA						
	7mm DIA						
	9mm DIA						
	13mm DIA						

SLOTTED OPEN AREA

1.1

KEY-ENDURA & KEY-KOMPRESS

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	31.9%	26.4%	20.2%	16.1%	13.4%	10.6%
	10mm DIA	35.5%	29.4%	22.5%	17.9%	14.9%	11.8%
	13mm DIA		38.1%	29.2%	23.3%	19.3%	15.4%

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	29.0%	24.0%	18.4%	14.6%	12.1%	9.7%
	10mm DIA	32.2%	26.6%	20.4%	16.2%	13.5%	10.7%
	13mm DIA		34.6%	26.5%	21.1%	17.5%	13.9%

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	26.0%	21.5%	16.5%	13.1%	10.9%	8.7%
	10mm DIA	28.9%	23.9%	18.3%	14.6%	12.1%	9.6%
	13mm DIA		31.0%	23.7%	18.9%	15.7%	12.5%

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	23.0%	19.1%	14.6%	11.6%	9.7%	7.7%
	10mm DIA	25.6%	21.2%	16.2%	12.9%	10.7%	8.5%
	13mm DIA		27.4%	21.0%	16.7%	13.9%	11.0%

SLOTTED OPEN AREA

1.2

KEY-ENDURA & KEY-KOMPRESS

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	20.1%	16.6%	12.7%	10.1%	8.4%	6.7%
	10mm DIA	22.3%	18.4%	14.1%	11.2%	9.3%	7.4%
	13mm DIA		23.8%	18.3%	14.6%	12.1%	9.6%

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	17.1%	14.2%	10.8%	8.6%	7.2%	5.7%
	10mm DIA	19.0%	15.7%	12.0%	9.6%	8.0%	6.3%
	13mm DIA		20.3%	15.5%	12.4%	10.3%	8.2%

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	14.1%	11.7%	9.0%	7.1%	5.9%	4.7%
	10mm DIA	15.7%	13.0%	9.9%	7.9%	6.6%	5.2%
	13mm DIA		16.7%	12.8%	10.2%	8.5%	6.7%

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	11.2%	9.3%	7.1%	5.6%	4.7%	3.7%
	10mm DIA	12.4%	10.2%	7.8%	6.2%	5.2%	4.1%
	13mm DIA		13.1%	10.1%	8.0%	6.6%	5.3%

SLOTTED OPEN AREA

1.3

KEY-ENDURA & KEY-KOMPRESS

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	8.2%	6.8%	5.2%	4.2%	3.4%	2.7%
	10mm DIA	9.1%	7.5%	5.8%	4.6%	3.8%	3.0%
	13mm DIA		9.6%	7.3%	5.8%	4.8%	3.8%

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA	5.3%	4.3%	3.3%	2.7%	2.2%	1.8%
	10mm DIA	5.8%	4.8%	3.7%	2.9%	2.4%	1.9%
	13mm DIA		6.0%	4.6%	3.7%	3.0%	2.4%

		SLOT SPACING (S)					
		25	30	40	50	60	75
SLOT WIDTH (D)	9mm DIA						
	10mm DIA						
	13mm DIA						